




# Video Lighting for City Council



**Fiilex**  
**T360**



**The application of the track system is to provide focused cine-grade lighting performance to the following areas:**

- Council chamber bench (9 seats)
- Administrative seating area (4 seats each)
- Center speaker
- Audience

Space: 31' W x 49' L x 21' Ceiling

Track Length: 63' Total

Luminaires: T360 & T365




Accessories: 2" Magnetically Locking Fresnel

Tilt Angle: 45° (Front), 45° (Sides), 25° (Auxiliary), 55° (Audience)

Throw Distance: 25' (Front), 25' (Side), 19' (Auxiliary), 25' (Audience)

Total Power Consumption: 3400W / 29A

# Track Layout & Wiring



Circuit	Electrical Loads	DMX Path	No. of Fixtures
Green (G)	1020W / 8.5A	1	12
Magenta (M)	595W / 5A	2	7
Blue (B)	1020W / 8.5A	3	12
Orange (O)	765W / 6.4A	4	9

**Project Name:**


**Date:**

Category	Item	Part Number	Quantity	Price	
				Unit	Extended
Fixtures	T365 Track Fixture, Pro Plus, WH	FLXT365PP-WH	34		
	T360 Track Fixture, Pro Plus, WH	FLXT360PP-WH	6		
Accessory	2" Magnetically Locking Fresnel, WH	FLXTRA002-WH	6		
Track Components	8' Track, WH	233-206	9		
	End Feed, Data Right, WH	553-2-1201-6	5		
	End Feed, Data Left, WH	553-2-1202-6	5		
	Straight Connector, WH	555-2-1206-6	4		
	DMX Terminator, WH	99-762-6	4		
Control	Filex Wall Controller	FLXTBD	1		
Misc					
<b>Total:</b>					



<p><b>Filex</b> Dealer Info</p>	
-------------------------------------	--

# HEAT MAP (COUNCIL MEMBERS)

Before



After








# HEAT MAP (SPEAKER and AUDIENCE)

Before



After



# ILLUMINANCE VALUES

A: City Seal/Logo




B: Far Right Council Member



C: Center Citizen Speaker




D: Side Administrative Member




# TILT ANGLE


**A: City Seal/Logo**



**B: Far Right Council Member**



**C: Center Citizen Speaker**



**D: Side Administrative Member**

