

PROJECT

QUANTITY

P1X Spot Light (Track)

40W LED/ 60°



ORDERING GUIDE

FLXP1X - - - **TOX** - -

Mode

CLR All Modes
EZ All EZ Modes
RGB RGB Mode Only
CCT Tunable CCT Mode Only
3200 Fixed 3200K
5600 Fixed 5600K

Finish

WH White
BK Black

Mount

TOX w/ O-type DMX Track Adapter

*Custom Track Adaptors Available

Power Supply & Control

PSP Power Supply Side Mount w/ Pass-Through DMX
PST Power Supply Top Mount w/ Pass-Through DMX

Plug/Connection

US US 120V
EU EU 220V

SPECIFICATIONS


Beam Angle	60°
CRI / TLCI	95/90 typical
Dimming	100% - 0% flicker free
AC Power Draw	40W max
AC Input	100 - 240V AC, 50 - 60Hz
Control	Manual, DMX512
Cooling	Passive Cooling
Acoustic Noise	0 dBA (none)
Operating Temp.	32 - 104°F (0 - 40°C)
Weight (Fixture + Power Supply)	PSP: 4.4lb / 2.0kg PST: 4.0lb / 1.8kg

- Cine-Grade Light Quality
- Point-Source LED
- DMX Controllable
- 40W Power Draw


MECHANICAL FIGURES

PSP

US




TILT/ROTATION




PSP

EU



PST



ACCESSORIES



4 Leaf Barn Door
FLXP1X-BD4-WH/BK