

P3L Ellipsoidal Light (Clamp)

90W LED/ 19° / 26° / 36° / 50°



ORDERING GUIDE

FLXP3L - - - - **CLP** - **PSV** -

Beam Angle

19 19°
26 26°
36 36°
50 50°

Mode

CLR All Modes
EZ All EZ Modes
RGB RGB Mode Only
CCT Tunable CCT Mode Only
3200 Fixed 3200K
5600 Fixed 5600K

Finish

WH White
BK Black

Mount

CLP Clamp Mount

Power Supply & Control

PSV Power Supply

Plug/Connection


US US 120V
EU EU 220V

SPECIFICATIONS


Beam Angle	19° / 26° / 36° / 50°
CRI / TLCI	95/90 typical (in CCT Mode of 2800K-6500K)
Dimming	100% - 0% flicker free
AC Power Draw	90W max
AC Input	100 - 240V AC, 50 - 60Hz
Remote Control	DMX 512
Cooling	Fan Cooled
Acoustic Noise	19 dBA (Auto Mode)
Operating Temp.	32 - 104°F (0 - 40°C)
Weight (Fixture + Power Supply)	8.1lb / 3.7kg
Gobo Size	Diameter: M Size (66mm)
	Max Image: 48mm
	Max Thickness: 1mm

- Cine-Grade Light Quality
- Point-Source LED
- DMX Controllable
- 90W Power Draw
- Carries Four Shutter Blades

MECHANICAL FIGURES




TILT/ROTATION




PHOTOMETRIC DATA


19 Degree




Distance		3' (~0.9 m)	10' (~3.0 m)	15' (~4.6 m)
@3200K	fc	2202	174	83
	lux	23702	1873	894
@5600K	fc	2239	177	84
	lux	24101	1906	905
Beam Diameter		Ø 0.9' (~0.3m)	Ø 3.0' (~0.9m)	Ø 4.6' (~1.4m)




26 Degree




Distance		3' (~0.9 m)	10' (~3.0 m)	15' (~4.6 m)
@3200K	fc	1978	160	77
	lux	21292	1726	831
@5600K	fc	2079	169	81
	lux	22379	1814	873
Beam Diameter		Ø 1.2' (~0.4m)	Ø 4.0' (~1.2m)	Ø 5.9' (~1.8m)




36 Degree




Distance		3' (~0.9 m)	10' (~3.0 m)	15' (~4.6 m)
@3200K	fc	743	60	29
	lux	7998	646	313
@5600K	fc	820	67	32
	lux	8827	722	345
Beam Diameter		Ø 1.7' (~0.5m)	Ø 5.6' (~1.7m)	Ø 8.2' (~2.5m)



50 Degree



Distance		3' (~0.9 m)	10' (~3.0 m)	15' (~4.6 m)
@3200K	fc	269	22	11
	lux	2896	237	119
@5600K	fc	285	23	11
	lux	3068	248	119
Beam Diameter		Ø 2.3' (~0.7m)	Ø 7.7' (~2.4m)	Ø 11.7' (~3.6m)



ACCESSORIES

(specify finish by adding -BK or -WH)



Leko Gobo Holder
FLXP3L-GOBOHOLDER



Leko Gobo Set of 4
FLXP3L-GOBOSET



Leko Iris
FLXP3L-IRIS



Leko Gel Holder
FLXP3L-GELHOLDER



DMX 6 Channel Controller
FLXCNTL-DMX6